

DAILY DRILLING REPORT JOB ID: 7500STURGISNRT REPORT NO. 28

LEASE OCS-G-23018				WELL NO. 1		API WELL NUMBER 608184006800		WATER DEPTH 3480		DATE 01-Mar-08	
OPERATOR CHEVRON						CONTRACTOR ENSCO				RIG NO. 7500	
SIGNATURE OF OPERATOR'S REPRESENTATIVE <i>Agg 10</i>						SIGNATURE OF CONTRACTOR'S TOOLPUSHER <i>Randy Winkler</i>					
DP SIZE	WEIGHT	GRADE	TOOL JT OD	THREAD TYPE	STRING NO.	PUMP NO.	PUMP MANUFACTURER		TYPE	STROKE	
5.875	26.7	S-135	7.000	XT 57	1	1	NATIONAL		14-P-220	14.0	
5.875	28.0	S-135	7.000	XT 57	2	2	NATIONAL		14-P-220	14.0	
5.875	46.4	S-135	7.250	XT 57	3	3	NATIONAL		14-P-220	14.0	
5.875	56.9	S-135	7.250	XT 57	4	4	NATIONAL		LEWCO	6.0	

TIME DISTRIBUTION - HOURS			DRILLING ASSEMBLY (At End of Tour)				BIT RECORD				MUD RECORD			
CODE - OPERATION	DAY	NIGHT	NO.	ITEM	O.D.	LENGTH	BIT NO.	3.1			TIME	0:00	6:00	11:30
1. RIG UP & TEAR DOWN			1	BIT	18.125	1.07	SIZE	8.125			WEIGHT	11.30	11.30	
2. DRILL ACTUAL	5.00	5.50	2	POWD	9.560	19.76	IADC CODE				GRADIENT	0.5876	0.5876	
3. REAMING			1	ARC	9.188	18.74	MANUFACT.	HYC			VISCOSITY	71	75	78
4. CORING			3	TEL	18.000	46.85	TYPE	RSX 816			PV/YP	48/16	48/14	45/15
5. COND. MUD & CIRC.	2.00	6.50	1	REMR	21.000	24.55	SERIAL NO.	210263			GELS	14/30	14/30	14/30
6. TRIPS	2.50		6	DC	9.500	139.30	JETS	14 14 14 14			FL. LOSS			
7. LUBRICATE RIG			1	SJCT	9.500	12.47	TFA	1.291612			pH			
8. REPAIR RIG			5	DC	8.250	106.11	DEPTH OUT				SOLIDS			
9. CUT DRILLING LINE			1	R.T	8.000	7.47	DEPTH IN	6330						
10. DEVIATION SURVEY			1	PC	8.000	7.48	TOTAL DRILL	354			MUD & CHEMICALS ADDED			
11. WIRE LINE LOGS			16	HWDP	5.875	464.36	TOTAL HRS	7.5			TYPE	AMT.	TYPE	AMT.
12. RUN CASING/CEMENT			60	STD. D.P.	5.875	5841.61	CUTTING STRUCTURE							
13. WAIT ON CEMENT				SNG. D.P.	5.875		INNER	OUTER	DULL CHAR.	LOCATION				
14. NIPPLE UP B.O.P.				KELLY DOWN										
15. TEST B.O.P.				TOTAL		6689.77	BEARINGS							
16. DRILL STEM TEST				WT. OF STRING		288000	SEALS	GAUGE	OTHER DULL	REASON PULLED				
17. PLUG BACK			REMARKS NO ACCIDENTS, NO POLLUTION REPORTED. FUNCTION C.O.M. W/BLOCK, INSTANT											
18. SQUEEZE CEMENT			REACTION, RESET SAME. CHECK PVT & FLOW SHOW ALARMS. CHECK RIG FLOOR SAFETY VALVES.											
19. FISHING			CHECKED CHOKE MANIFOLD. HELD PRETOUR MEETING WITH CREW SAFETY TOPIC: PROPER PPE.											
20. DIR. WORK			HELD WEEKLY SAFETY MEETING W/CREW. ROV INSPECTED BOP'S & RISER, INJECTED 6 GAL GLYCOL.											
21. OTHER 1	2.50													
22.			DRILLER: K.GRIFFIN											
23.														

TIME DISTRIBUTION - HOURS			DRILLING ASSEMBLY (At End of Tour)				BIT RECORD				MUD RECORD			
CODE - OPERATION	DAY	NIGHT	NO.	ITEM	O.D.	LENGTH	BIT NO.	3.1			TIME	12:00	18:00	23:30
1. RIG UP & TEAR DOWN			1	BIT	18.125	1.07	SIZE	8.125			WEIGHT	11.30	11.30	11.30
2. DRILL ACTUAL			2	POWD	9.560	19.76	IADC CODE				GRADIENT	0.5876	0.5876	0.5876
3. REAMING			1	ARC	9.188	18.74	MANUFACT.	HYC			VISCOSITY	71	69	69
4. CORING			3	TEL	18.000	46.85	TYPE	RSX 816			PV/YP	48/16	48/14	48/14
5. COND. MUD & CIRC.			1	REMR	21.000	24.55	SERIAL NO.	210263			GELS	14/30	10/20	10/20
6. TRIPS			6	DC	9.500	139.30	JETS	14 14 14 14			FL. LOSS	5	5	5
7. LUBRICATE RIG			1	SJCT	9.500	12.47	TFA	1.291612			pH			
8. REPAIR RIG			5	DC	8.250	106.11	DEPTH OUT				SOLIDS	17.6	17.68	17.68
9. CUT DRILLING LINE			1	R.T	8.000	7.47	DEPTH IN	6330						
10. DEVIATION SURVEY			1	PC	8.000	7.48	TOTAL DRILL	548			MUD & CHEMICALS ADDED			
11. WIRE LINE LOGS			16	HWDP	5.875	464.36	TOTAL HRS	13			TYPE	AMT.	TYPE	AMT.
12. RUN CASING/CEMENT			64	STD. D.P.	5.875	6030.19	CUTTING STRUCTURE				LIME	30		
13. WAIT ON CEMENT				SNG. D.P.	5.875		INNER	OUTER	DULL CHAR.	LOCATION				
14. NIPPLE UP B.O.P.				KELLY DOWN										
15. TEST B.O.P.				TOTAL		6878.35	BEARINGS							
16. DRILL STEM TEST				WT. OF STRING		298000	SEALS	GAUGE	OTHER DULL	REASON PULLED				
17. PLUG BACK			REMARKS NO ACC., NO POLL. REPORTED. HELD PTSM W/ CREWS TOPIC: SYNTHETIC MUD, HELD											
18. SQUEEZE CEMENT			WEEKLY SAFETY MEETING. VIEWED NOVAPLUS SAFETY VIDEO WITH CREW, FUNCTION C.O.M. W/											
19. FISHING			BLOCK, INSTANT REACTION, RESET SAME. CHECK PVT & FLOW SHOW ALARMS. CHECK RIG FLOOR											
20. DIR. WORK			SAFETY VALVES. CHECKED CHOKE MANIFOLD. P/U 292 S/O 300, RT/WT 298, ON BTM TORQUE 15-20k.											
21. OTHER 1			CLEANED DITCH MAGNETS, RECOVERED 16 LBS METAL.											
22.			DRILLER: B.OLLIFF											
23.														

TIME DISTRIBUTION - HOURS			DRILLING ASSEMBLY (At End of Tour)				BIT RECORD				MUD RECORD			
CODE - OPERATION	DAY	NIGHT	NO.	ITEM	O.D.	LENGTH	BIT NO.	3.1			TIME	12:00	18:00	23:30
1. RIG UP & TEAR DOWN			1	BIT	18.125	1.07	SIZE	8.125			WEIGHT	11.30	11.30	11.30
2. DRILL ACTUAL			2	POWD	9.560	19.76	IADC CODE				GRADIENT	0.5876	0.5876	0.5876
3. REAMING			1	ARC	9.188	18.74	MANUFACT.	HYC			VISCOSITY	71	69	69
4. CORING			3	TEL	18.000	46.85	TYPE	RSX 816			PV/YP	48/16	48/14	48/14
5. COND. MUD & CIRC.			1	REMR	21.000	24.55	SERIAL NO.	210263			GELS	14/30	10/20	10/20
6. TRIPS			6	DC	9.500	139.30	JETS	14 14 14 14			FL. LOSS	5	5	5
7. LUBRICATE RIG			1	SJCT	9.500	12.47	TFA	1.291612			pH			
8. REPAIR RIG			5	DC	8.250	106.11	DEPTH OUT				SOLIDS	17.6	17.68	17.68
9. CUT DRILLING LINE			1	R.T	8.000	7.47	DEPTH IN	6330						
10. DEVIATION SURVEY			1	PC	8.000	7.48	TOTAL DRILL	548			MUD & CHEMICALS ADDED			
11. WIRE LINE LOGS			16	HWDP	5.875	464.36	TOTAL HRS	13			TYPE	AMT.	TYPE	AMT.
12. RUN CASING/CEMENT			64	STD. D.P.	5.875	6030.19	CUTTING STRUCTURE				LIME	30		
13. WAIT ON CEMENT				SNG. D.P.	5.875		INNER	OUTER	DULL CHAR.	LOCATION				
14. NIPPLE UP B.O.P.				KELLY DOWN										
15. TEST B.O.P.				TOTAL		6878.35	BEARINGS							
16. DRILL STEM TEST				WT. OF STRING		298000	SEALS	GAUGE	OTHER DULL	REASON PULLED				
17. PLUG BACK			REMARKS NO ACC., NO POLL. REPORTED. HELD PTSM W/ CREWS TOPIC: SYNTHETIC MUD, HELD											
18. SQUEEZE CEMENT			WEEKLY SAFETY MEETING. VIEWED NOVAPLUS SAFETY VIDEO WITH CREW, FUNCTION C.O.M. W/											
19. FISHING			BLOCK, INSTANT REACTION, RESET SAME. CHECK PVT & FLOW SHOW ALARMS. CHECK RIG FLOOR											
20. DIR. WORK			SAFETY VALVES. CHECKED CHOKE MANIFOLD. P/U 292 S/O 300, RT/WT 298, ON BTM TORQUE 15-20k.											
21. OTHER 1			CLEANED DITCH MAGNETS, RECOVERED 16 LBS METAL.											
22.			DRILLER: B.OLLIFF											
23.														

TIME DISTRIBUTION - HOURS			DRILLING ASSEMBLY (At End of Tour)				BIT RECORD				MUD RECORD			
CODE - OPERATION	DAY	NIGHT	NO.	ITEM	O.D.	LENGTH	BIT NO.	3.1			TIME	12:00	18:00	23:30
1. RIG UP & TEAR DOWN			1	BIT	18.125	1.07	SIZE	8.125			WEIGHT	11.30	11.30	11.30
2. DRILL ACTUAL			2	POWD	9.560	19.76	IADC CODE				GRADIENT	0.5876	0.5876	0.5876
3. REAMING			1	ARC	9.188	18.74	MANUFACT.	HYC			VISCOSITY	71	69	69
4. CORING			3	TEL	18.000	46.85	TYPE	RSX 816			PV/YP	48/16	48/14	48/14
5. COND. MUD & CIRC.			1	REMR	21.000	24.55	SERIAL NO.	210263			GELS	14/30	10/20	10/20
6. TRIPS			6	DC	9.500	139.30	JETS	14 14 14 14			FL. LOSS	5	5	5
7. LUBRICATE RIG			1	SJCT	9.500	12.47	TFA	1.291612			pH			
8. REPAIR RIG			5	DC	8.250	106.11	DEPTH OUT				SOLIDS	17.6	17.68	17.68
9. CUT DRILLING LINE			1	R.T	8.000	7.47	DEPTH IN	6330						
10. DEVIATION SURVEY			1	PC	8.000	7.48	TOTAL DRILL	548			MUD & CHEMICALS ADDED			
11. WIRE LINE LOGS			16	HWDP	5.875	464.36	TOTAL HRS	13			TYPE	AMT.	TYPE	AMT.
12. RUN CASING/CEMENT			64	STD. D.P.	5.875	6030.19	CUTTING STRUCTURE				LIME	30		
13. WAIT ON CEMENT				SNG. D.P.	5.875		INNER	OUTER	DULL CHAR.	LOCATION				
14. NIPPLE UP B.O.P.				KELLY DOWN										
15. TEST B.O.P.				TOTAL		6878.35	BEARINGS							
16. DRILL STEM TEST				WT. OF STRING		298000	SEALS	GAUGE	OTHER DULL	REASON PULLED				
17. PLUG BACK			REMARKS NO ACC., NO POLL. REPORTED. HELD PTSM W/ CREWS TOPIC: SYNTHETIC MUD, HELD											
18. SQUEEZE CEMENT			WEEKLY SAFETY MEETING. VIEWED NOVAPLUS SAFETY VIDEO WITH CREW, FUNCTION C.O.M. W/											
19. FISHING			BLOCK, INSTANT REACTION, RESET SAME. CHECK PVT & FLOW SHOW ALARMS. CHECK RIG FLOOR											
20. DIR. WORK			SAFETY VALVES. CHECKED CHOKE MANIFOLD. P/U 292 S/O 300, RT/WT 298, ON BTM TORQUE 15-20k.											
21. OTHER 1			CLEANED DITCH MAGNETS, RECOVERED 16 LBS METAL.											
22.			DRILLER: B.OLLIFF											
23.														

TIME DISTRIBUTION - HOURS			DRILLING ASSEMBLY (At End of Tour)				BIT RECORD				MUD RECORD			
CODE - OPERATION	DAY	NIGHT	NO.	ITEM	O.D.	LENGTH	BIT NO.	3.1			TIME	12:00	18:00	23:30
1. RIG UP & TEAR DOWN			1	BIT	18.125	1.07	SIZE	8.125			WEIGHT	11.30	11.30	11.30
2. DRILL ACTUAL			2	POWD	9.560	19.76	IADC CODE				GRADIENT	0.5876	0.5876	0.5876
3. REAMING			1	ARC	9.188	18.74	MANUFACT.	HYC			VISCOSITY	71	69	69
4. CORING			3	TEL	18.000	46.85	TYPE	RSX 816			PV/YP	48/16	48/14	48/14
5. COND. MUD & CIRC.			1	REMR	21.000	24.55	SERIAL NO.	210263			GELS	14/30	10/20	10/20
6. TRIPS			6	DC	9.500	139.30	JETS	14 14 14 14			FL. LOSS	5	5	5
7. LUBRICATE RIG			1	SJCT	9.500	12.47	TFA	1.291612			pH			
8. REPAIR RIG			5	DC	8.250	106.11	DEPTH OUT				SOLIDS	17.6	17.68	17.68
9. CUT DRILLING LINE			1	R.T	8.000	7.47	DEPTH IN	6330						
10. DEVIATION SURVEY			1	PC	8.000	7.48	TOTAL DRILL	548			MUD & CHEMICALS ADDED			
11. WIRE LINE LOGS			16	HWDP	5.875	464.36	TOTAL HRS	13			TYPE	AMT.	TYPE	AMT.</

DAILY DRILLING REPORT WELL 7500STURGISNR REPORT NO. 28 DATE 01-Mar-08

FIELD/DISTRICT		ATWATER VALLE		COUNTY		LaFOURCHE		STATE		LA		WIRE LINE RECORD		REEL NO. 8				
LAST CASING TUBING OR LINER	SIZE	MAKE	WT & GRADE	JOINTS	LENGTH	RKB CSG. HD.	SET AT	SIZE	1,750 NO.	LINE#	14	LENGTH SUPPLIED						
	36.000	RL4HC	726.0	X-60	6	339	3541	3880	LENGTH CUT OFF		PRESENT LENGTH			4791				
	28.000	RL-4SL	218.3	X-52	18	769	3541	4310	WEAR OR TRIPS SINCE LAST CUT		1091							
	22.000	S-90	170.2	X-80	59	2751	3536	6287	CUMULATIVE WEAR OR TRIPS		42036							
DAY TOUR	DEPTH INTERVAL	DRILL REAM CORE	CORE NO.	FORMATION (SHOW CORE RECOVERY)			ROTARY TABLE SPEED	WT. ON BIT	PUMP PRESS	PUMP NO 1 LINER SIZE	SPM	PUMP NO 2 LINER SIZE	SPM	PUMP NO 3 LINER SIZE	SPM	PUMP NO 4 LINER SIZE	SPM	TOTAL PUMP OUTPUT
	FROM	TO																
	6340	6684		CEMENT & SHALE			155	15	4400	6.50	70	6.50	70	6.50	70	6.00	75	1424
NIGHT TOUR	DEPTH INTERVAL	DRILL REAM CORE	CORE NO.	FORMATION (SHOW CORE RECOVERY)			ROTARY TABLE SPEED	WT. ON BIT	PUMP PRESS	PUMP NO 1 LINER SIZE	SPM	PUMP NO 2 LINER SIZE	SPM	PUMP NO 3 LINER SIZE	SPM	PUMP NO 4 LINER SIZE	SPM	TOTAL PUMP OUTPUT
	FROM	TO																
	6877	6877		BOOST					120									
	6684	6877	Drill	SHALE AND SALT			155	20	4400	6.50	70	6.50	70	6.50	70			1266
DAY TOUR	DEPTH INTERVAL	DRILL REAM CORE	CORE NO.	FORMATION (SHOW CORE RECOVERY)			ROTARY TABLE SPEED	WT. ON BIT	PUMP PRESS	PUMP NO 1 LINER SIZE	SPM	PUMP NO 2 LINER SIZE	SPM	PUMP NO 3 LINER SIZE	SPM	PUMP NO 4 LINER SIZE	SPM	TOTAL PUMP OUTPUT
	FROM	TO																
	6620	6620		SHALE			34	6808	0.06	299.63	6808	34						
	6714	6714		SHALE			34											
DAY TOUR	DEPTH INTERVAL	DRILL REAM CORE	CORE NO.	FORMATION (SHOW CORE RECOVERY)			ROTARY TABLE SPEED	WT. ON BIT	PUMP PRESS	PUMP NO 1 LINER SIZE	SPM	PUMP NO 2 LINER SIZE	SPM	PUMP NO 3 LINER SIZE	SPM	PUMP NO 4 LINER SIZE	SPM	TOTAL PUMP OUTPUT
	FROM	TO																
	12:00	12:30	0.50	5														
	12:30	16:00	3.50	2														

IADC OFFICIAL DAILY DRILLING REPORT FORM



FORM REPRODUCED UNDER
LICENSE FROM IADC

Generated by RIMDrill Drilling Reporting Software
Copyright 1995 International Association of Drilling Contractors

DRILLING CREW PAYROLL DATA

DATE 01-Mar-08

WELL NAME & NO. STURGIS NORTH #1, 7500STURGISNRTH1

COMPANY CHEVRON

TOOLPUSHER R.WUNDERLICH, T.BAILEY, C.HENDERSON

RIG NO. 7500

DAY TOUR FROM 00:00 TO 12:00				INJURED				INJURED			
CREW	EMPL. ID	NAME	HRS	INIT-IAL	Y/N	CREW	EMPL. ID	NAME	HRS	INIT-IAL	Y/N
Roustabout	427-25-5302	GARDNER, JEFFREY	12		N	Electrical Superv	428-13-5359	HOPKINS, JERRY	Sal		N
Marine Roustabout	436-27-7998	Sheppard, Donald	12		N	Electronic Technic	439-63-6672	Mc Elveen, Timothy	12		N
Roustabout	427-45-8229	Stubbs, Michael	12		N	Electrician	426-04-0922	ZIEGLER, JAMES	12		N
Roustabout	438-17-8746	WILLIAMS, LEON	12		N	Crane Operator	439-37-9607	Campbell, Mark	12		N
Roustabout	587-70-5313	WILLIS, DAVID	12		N	Deck Foreman	428-57-7624	REYNOLDS, CHRIS	12		N
Floorhand	434-41-6712	Cruse, Curtis	12		N	Crane Operator	439-06-0587	Tidwell, Jim	13	OP	N
Floorhand	434-61-6526	Killingsworth, Matthew	12		N	Mechanic	257-31-7583	Burney, Bobby	12		N
Floorhand	460-63-3725	LeBouef, John	12		N	Mechanical Superv	038-28-7321	Galligan, Jim	Sal		N
Floorhand	434-39-7457	Scott, Gary	12		N	Thruster Tender	436-61-1456	LADNER, MARK	12		N
Offshore Installatio	587-94-8338	Williamson, Don	Sal		N	Asst. Mechanic	436-04-5872	Mote, Donnie	12		N
Offshore Installatio	261-19-6764	WUNDERLICH, RAND	Sal		N	Derrickman	439-67-9708	Cooley, Steve	12		N
Toolpusher	434-59-8500	Bailey, Tyrone	Sal		N	Welder	425-02-4262	Mc Kenzie, Steve	12		N
Dynamic Positionin	460-66-0615	GRIFFITH, WAYNE	12		N	Cook	437-33-3869	GRAY, BENNY	12		N
Barge Engineer	453-65-2184	Hileman, Michael	Sal		N	Galleyhand	434-150-4760	Boudreaux, Kirt	12		N
Barge Engineer	12345	Tyrone, Ned	Sal		N	Galleyhand	439-06-9973	Broussard, Kevin	12		N
Ballast Control Op	453-85-2126	WOODS, LEE	12		N	Galleyhand	433-65-5688	Knighten, Charles	12		N
Driller	423-06-3206	Griffin, Kenneth	12		N	Galleyhand	451-93-2111	Magana, Rogelio	12		N
Driller	436-02-3778	SIMS, JAY	12		N	Steward	519-82-3394	Shaffer, Rick	9		N
Asst. Driller	434-55-9236	Morehead, Kurt	12		N	Steward	379-80-0552	Williams, Chadwick	12		N
Subsea Engineer	418-25-4564	HUDSON, CHRIS	Sal		N						
Drilling Equipment	661-07-4935	Stanislawek, Nicholas	Sal		N						
Medic	465-89-7853	Jenkins, Craig	12		N						

NO. OF DAYS SINCE LOST TIME ACCIDENT 782

NIGHT TOUR FROM 12:00 TO 00:00				INJURED				INJURED			
CREW	EMPL. ID	NAME	HRS	INIT-IAL	Y/N	CREW	EMPL. ID	NAME	HRS	INIT-IAL	Y/N
Marine Roustabout	434-67-4861	BOLEN, AUBREY	12		N	Asst. Mechanic	428-57-6819	Thomas, Jody	12		N
Roustabout	426-61-8570	Bryant, Lemetrick	12		N	Derrickman	425-41-1876	BOLTON, TRACEY	12		N
Roustabout	439-41-4246	DUFFIE, REGINALD	13	OP	N	Trainee	521-63-8305	Dubrovich, Mark	Sal		N
Roustabout	437-43-0401	SCOTT, COREY	12		N	Storeman	432-15-0400	Crawford, Jeff	12		N
Roustabout	433-63-1360	Sims, John	12		N	Cook	439-45-0278	Clevalier, Cletus	12		N
Floorhand	426-45-6352	Commer, Joshua	12		N	Galleyhand	425-35-5861	CARTER, CHRIS	12		N
Floorhand	439-33-4857	EDWARD, PERCY	12		N	Galleyhand	437-51-4233	Mouton, Britt	12		N
Floorhand	437-92-8178	HILLARD, RANDALL	12		N	Galleyhand	428-65-7377	THREATT, DANIEL	12		N
Floorhand	432-19-3078	MANSHACK, GEORGE	12		N	Subsea Trainee	426-21-3048	Bradshaw, Ricky	12		N
Toolpusher	428-11-0712	HENDERSON, CECIL Z	Sal		N						
Toolpusher	639-40-3773	Sparks, Ray	Sal		N						
Ballast Control Op	435-51-2322	Leonard, Michael	12		N						
Dynamic Positionin	507-90-4610	Stewart, Tony	12		N						
Driller	439-29-6496	OLLIFF, BRIAN D.	12		N						
Asst. Driller	439-63-1646	GREEN, ERIC W.	12		N						
Asst. Subsea Engi	425-59-0038	Dunn, Joseph	12		N						
Electronic Technic	436-65-0349	MAXWELL, JUSTIN	12		N						
Electrician	436-61-0771	NYDEGGER, JASON	12		N						
Crane Operator	436-13-8265	Andrews, Kelvin	12		N						
Deck Foreman	436-41-4260	BARNES, MATTHEW	12		N						
Crane Operator	434-88-7953	HIGGINBOTHAM, EDDI	12		N						
Thruster Tender	426-33-1753	SMITH, MICHAEL	12		N						

NO. OF DAYS SINCE LOST TIME ACCIDENT 782

IADC OFFICIAL DAILY DRILLING REPORT FORMFORM REPRODUCED UNDER
LICENSE FROM IADCGenerated by RIMDrill Drilling Reporting Software
Copyright 1995 International Association of Drilling Contractors