D23798.1

Federal Science Team Agreed That Top Kill Should Proceed

From: "Okuper-Suffivan, Duna Tur 'Okuper-Suffivan, 'Denad 'Michael F' dorre, michael Jië Cur 'Block, 'Stephen F' cibledi denade Flori goob, 'Benner, 'I Bere Bate: Wed. 26 Mov 2010 00:011

Since I have inundated everyon items not addressed in my earlie

Morning diagnostic and engir

A joint meeting amongst the La general – it was agreed that the primarily go down the annulus ram. This independent analysis closing the appeciate ram – wh

An interesting note was that Secfier the first time the night before potential deill pipe joint was idea midnight to get the post doc the wanted this data prior to making Disappointed – he concurred wit

Most of the day was spent track A brief engineering meeting wa conclusion being that seasonable not killed yet.

It appears that the efforts to kill More mad is being feered out to multiple 12 hour periods.

People Status

Steve Black - Departed this morn

Curti Ammerican – Departed thi system

Don O'Sullivan - Remains on s

Program Manager

From: "O' Sullivan, Donald Q" <dqosulli@lanl.gov>

To: "O' Sullivan, "Donald Q" <dqosulli@lanl.gov>, "Rees, "William S Jr" <wsr@lanl.gov> "Burns, "Michael J" <burns_michael_j@lanl.gov>, "Richardson, "Isaac E III" <richardson@lanl.gov>

Cc: "Black, "Stephen J" <sblack@lanl.gov>, "Gibbs, "Scott W" <wxg@lanl.gov>, "Cate, James Ten A" <tencate@lanl.gov>, "Benner, "John C" <benner@lanl.gov>, "Ammerman, "Curtt N" <ammerman@lanl.gov.>

Date: Wed, 26 May 2010 09:01:35 PM

Subject: "End" of Day Update

Attachments:

"End" of Day Update: 5-26-10

A joint meeting amongst the Labs and DOE leadership was held to discuss conclusions of the diagnostics. In general – it was agreed that the kill shot should be executed, and to have higher assurance that the flow will primarily go down the annulus – the test ram should be opened and pressure should be placed on the upper pipe ram. This independent analysis agreed with the conclusions drawn by BP (noting that they had not thought of closing the upper pipe ram – which they then included in their procedure).

Source: TREX 141758 D23798